

Certificate No. 16931/DBBPAH  
Date: July 22, 2014



Issuing Office:

Jl. Arteri Tol Cibitung No. 1, Cibitung Bekasi 17520, Indonesia  
Phone/Facs: +62 21 88321176/88321166  
Email: jum.cbt@sucofindo.co.id

## REPORT OF ANALYSIS

The sample was submitted by client with the following identification :

CLIENT : SCG LIGHTWEIGHT CONCRETE INDONESIA, PT.  
ADDRESS : Surya Cipta Industrial Estate.  
Jl. Techno Kav. 1 – T 1 – 3, Kutamekar, Ciampel.  
KARAWANG.  
TYPE OF SAMPLE : GYPSUM.  
DATE OF RECEIVED : 15/07/2014.  
TEST REQUIRED : Chemical Analysis.  
DESCRIPTION OF SAMPLE : Form : Soil.  
Weight/Volume : ± 2.99 kg.  
Packing : Plastic bag.  
SAMPLE IDENTIFICATION : Code : H 15 39 SE (20 – 6 – 14). *Jepara*  
DATE OF ANALYSIS : 15/07/2014 to 22/07/2014.  
YOUR REFERENCE : PO No. : 0406.

### Result:

Parameter	Unit	Results	Method
Iron Trioxide (Fe <sub>2</sub> O <sub>3</sub> )	%	0.05	ICP
Aluminium Trioxide (Al <sub>2</sub> O <sub>3</sub> )	%	0.05	ICP
Magnesium Oxide (MgO)	%	0.39	ICP
Manganese Dioxide (MnO <sub>2</sub> )	%	Less than 0.01	ICP
Chromium Trioxide (Cr <sub>2</sub> O <sub>3</sub> )	%	Less than 0.01	ICP
Sodium Oxide (Na <sub>2</sub> O)	%	2.46	ICP
Potassium Oxide (K <sub>2</sub> O)	%	0.08	ICP
Silicon Dioxide (SiO <sub>2</sub> )	%	1.52	Gravimetric
Titanium Dioxide (TiO <sub>2</sub> )	%	Less than 0.01	ICP
CaSO <sub>4</sub> .2H <sub>2</sub> O	%	95.43	Calculation
Calcium Oxide (CaO)	%	31.07	Titrimetric
Sulfur Trioxide (SO <sub>3</sub> )	%	44.39	Gravimetric
Combine Water	%	19.97	Gravimetric
Free Moisture 45°C	%, AR	26.95	Gravimetric

Note : AR (As Received Basis).

This Certificate/report is issued under our General Terms and Conditions, copy of which is available upon request or may be accessed at [www.sucofindo.co.id](http://www.sucofindo.co.id)

SBU Laboratorium



CBT1007628141040-004



1704361

SCI-2007A